



swimming pool

Few things can match the wonderful feeling of wellbeing when floating lazily in warm, sun-dappled water; or being pampered and massaged with fragrant oils at a luxury spa; or when you plunge into a cool refreshing pool... Indoors or outside, small or large, a swimming pool enriches a living space, providing a peaceful oasis, somewhere to relax, entertain or exercise.

Inspiration 04

Pools & hot tubs (suitable for submersion)

Key for symbols

Wet & dry walls

Wet & dry floors

Dry walls only

Dry floors only

Internal & external use

JointPoint® POOL MOSAICS Niebla 12 Lisa 16 Space 19 Iris 20

> Metal 22 Cocktails 23 Zen 26 Adorn 30 Fosfo 32

> > Volcano 33

SLIP RESISTANT MOSAICS Niebla Antislip Corners 35 Niebla Antislip 36 Iris Antislip 38 JointPoint® System 39

> **GLASS MOSAICS** Iridescent 40 Gold Fleck 44 Metallic Drop-ins 47 Plain Glass 48

8-Tile Panels 49 Tropical Collection 50

56 Gallery 58 Highgate

60 Inside Out

62 Roma 64 Natural Elements

68 Granite

69 Broadway / Slate Chiara

70 Dorset

74 Absolute 76 Wood Effect

FEATURE WALLS

84 Split Faced Stone

87 Oxide

89 Metal Effect

90 Stone Mosaics

FIT & FINISH

94 Bespoke Drainage

96 Slip Testing

BESPOKE DESIGN



54 Bricks

66 Mineral

73 Pool Bricks

80 Wood Effect 82 Sisal / Atenas

83 Stone Pebbles

85 Shoreditch

86 Amelia

88 Studio

92 Pool Grips

95 Custom Finishing

SAFETY STANDARDS

98 Custom Mosaics

99 Waterjet Cutting



Browse through the following pages to see how such

an oasis can be created just for you and your individual

requirements. This brochure contains just a taste of what is

achievable from the huge choice of mosaics for pools and

spas, tiles for feature walls and tiles that can be used with


TECHNICAL

a range of bespoke products and services

confidence in wet areas, those important finishing pieces and

100 Important Information

101 Installation Products







Iris Jade

Niebla SM-2505MOS

Your dream pool

When it comes to planning a pool, start with the big picture. Then compile a list of all the things you've ever envisaged for your perfect pool and we'll work together to realise your dreams



Mid Blue Niebla with Dark Blue Antislip



Lisa Bespoke Mix

Iris Coral with Jade



Niebla Beige Mix




Iris Ebano



Cocktail Alexander

Be inspired ...

Wishing to recreate that stunning turquoise blue from a recent tropical holiday? Would you prefer a pool with dark and mysterious depths? Or a pool room filled with light and reflections? Here are a few existing pools to inspire you. As every pool is different, yours will be a unique representation of your personality, tailored to your specific needs











Cocktail Alexander

Cocktail Blue Lagoon

Be bold ...


You'll be amazed at how the colours of glass mosaics can change when placed underwater and with different lighting effects. We've added yet more colours, textures and finishes to our extensive range of mosaics, to ensure your pool is unique and beautiful




Glass Mosaics

Mosaics featured on the following pages use JointPoint® an innovative system of flexible silicone joints that hold the individual mosaics together in sheets. JointPoint® offers a number of advantages over traditional mosaic sheet manufacture. Turn to page 39 for further details.

Niebla 25mm, 36mm, 50mm




SOFT MIX SM-2518MOS [†] SM-3618MOS




PALE BLUE MIX (25mm only) SM-25004MOS



MIX | SM-25002MOS (25mm only)



SM-2512MOS 3612-C 5012-C



SM-2562MOS † 3662-B 5062-B



14 | POOL | GLASS MOSAICS

SM-2503MOS 3603-D 5003-D

Flowing colours, variations of light and tone and plenty of choice from our most popular range



SM-2529MOS 3629-B 5029-B



SM-2510MOS 3610-A 5010-A




SM-2508MOS † 3608-A 5008-A



SM-2505MOS † 3605-A 5005-A



SM-2521MOS



SM-2507MOS 3607-A 5007-A



SM-2585MOS 3685-B 5085-B



SM-2586MOS 3686-B 5086-B



SM-2586MOS



SM-2522MOS 3622-B 5022-B

36mm and 55mm mosaics are available in selected colours. The 25mm swatches shown are actual size.



Niebla 25mm, 36mm, 50mm

Blue pools are certainly beautiful, but why stop at blue? There are plenty more Niebla colours


36mm and 55mm mosaics are available in selected colours. The 25mm swatches shown are actual size.







2524-B 3624-B 5024-B











SM-2596MOS 3696-B 5096-B





























SM-2501MOS 3601-B 5001-B

18 | POOL | GLASS MOSAICS



SM-2534MOS 3634-A




SM-2545MOS † 3645-A 5045-A



SM-2551MOS 3651-A








2547-A 3647-A







SM-2555MOS 3655-C



25mm swatches are shown here at actual size. 36mm versions are also available

SM-2535MOS 3635-A



SM-2542MOS 3642-B





Lisa 2532-A and 2530-D







SM-2543MOS 3643-D





SM-2559MOS 3659-B





SM-2530MOS † 3630-D





Lisa 25mm, 36mm









2552-A 3652-A



Sagittarius Space 25mm

Add another dimension with colours from space




2539-B 3639-B





















SM-2538MOS 3638-D


SM-2537MOS 3637-E

SCORPIO SM-SCORMOS




Iris 25mm


Choose Iris for dazzling iridescence and stunning colours
















CORAL † SM-CORLMOS

AZUR † SM-AZURMOS





MARFIL† SM-MRFLMOS

GREEN PEARL † SM-GNPLMOS



























COBRE † SM-COBRMOS

EBANO † SM-EBANMOS





Metal 25mm

Eight luxurious colours with the







AURUM SM-AURUMOS


































ESMERALDA

Cocktails 25mm





The colours and effects will look stunning both above and below the water line.



GRASSHOPPER SM-GRASMOS




TOMAHAWK SM-TMHKMOS



LONG ISLAND SM-LNISMOS



Blue Lagoon



BLUE LAGOON SM-BLLAMOS



BLUE MOON SM-BLMNMOS







Cocktails 25mm










SAN FRANCISCO SM-SNFRMOS








Cocktails 25mm











BLOODY MARY SM-BDMRMOS





MARGARITA SM-MARGMOS



ALEXANDER † SM-ALEXMOS





Achieve a sense of balance and harmony a range inspired by natural stone, marble and wood



















ASH SM-ZASHMOS





TIGRATO SM-TIGRMOS





PHYLLITE SM-PHYLMOS

BLACK MARBLE SM-BLKMMOS





Carrara



Zen 25mm




















30 | POOL | GLASS MOSAICS


















Dolerite

Look closely at these mosaics and you'll see miniature works of art. These are the ingredients for you to create your own beautiful, individual masterpiece












CHOCO BITS


















































*luminescent pigments in these tiles are charged by exposure to light, therefore the intensity and longevity of the glow-in-the-dark effect will vary depending on the prevailing lighting conditions.









SAJAMA SM-SAJMOS








MAUN-LOA SM-MUNMOS




COLIMA SM-COLIMOS








STROMBOLI SM-STBMOS



MASAYA SM-MASMOS











Special mix of Iris Coral and Jade Antislip

Antislip Mosaics

Step edges, wet room or steam room floors can now be both stylish and safe with these slip resistant mosaics. A wide range of colours means they can be used to co-ordinate or contrast with other shades





Niebla Antislip Roll Edge Corners

With the same slip resistant textured

At 52mm in length, the pieces are also small enough to be used effectively to create curves. Sharp edges are completely eliminated with these corner pieces.

- Available in five Niebla colours White, Grey, Mid Blue, Dark Blue and Black
- Use as a contrasting edge or to coordinate with any of the existing Joint Point ranges
- Textured slip resistant surface for safety
- For pool edges both straight and curved, step edges
- Attractive finishing piece
- Easy to install at the same time as the tiling









Niebla Antislip 25mm, 50mm

There's no need to choose between beauty and safety



WHITE SM-2545MOS-AS † SM-5045MOS-AS









SM-2521MOS-AS





2522-AS

SM-2596MOS-AS SM-5096MOS-AS



GREY SM-2560MOS-AS [†] SM-5060MOS-AS



BLACK SM-2516MOS-AS† SM-5016MOS-AS






SM-2518MOS-AS







2511-AS



2507-AS

2529-AS

MID BLUE SM-2505MOS-AS†

SM-2508MOS-AS

SM-2504MOS-AS Technical characteristics
Tested to: BS7976-2
Barefoot Wet (TRRL55 Wet) >45 DIN51130 / DIN51097 = R11C



2514-AS
















2502-AS 3602-AS




Iris Antislip 25mm

Get the feel-good factor as well as the look-good effect



Technical characteristics

Tested to: BS7976-2 Barefoot Wet (TRRL55 Wet) >45 DIN51130 / DIN51097 = R11C



ARENA ANTISLIP



COBRE ANTISLI SM-COBRMOS-A

The JointPoint® System

JointPoint® is a technologically advanced system where silicone points are used to join individual mosaics together into panels (the points are on the reverse of the panel or sheet). Designed to ensure that the sheets are laid uniformly, up to 92% of the surface is left free for the application of adhesive, which results in better adhesion and superior grip. JointPoint® is very easy to work with and install – the sheets are flexible and controllable.

WATER IMMERSION TENSILE ADHESION STRENGTH

Each family type of mesh/glue backing system for mosaic tiles, recommended for water submerged conditions (not salt water), are tested in accordance with BSEN 1348:2007 Determination of Tensile Adhesive Strength for Cementitious Adhesives.

The tests are conducted by a UKAS accredited testing laboratory, number 0013. The mean value of water immersion tensile adhesion strength is determined for each family type of mesh/glue backing system after allowing for any discarded samples.

EN 12004:2007 + A1:2012 states that the tensile values for a C2 adhesive must be greater than or equal to 1.0 N/mm2. Each family type of mesh/glue


backing system meets this requirement. For example, the JointPoint® family type of mesh/glue backing system yielded a result of 1.3 N/mm2.

It must be noted that each family mesh/glue backing system for mosaics is tested using Ardex x77 C2 adhesive. All test materials, including the adhesive being tested, were conditioned as required by the test method BSEN 1348:2007.

The Ardex x77 adhesive was prepared in accordance with clause 7.0 of the EN 1348 standard.

Ardex x77 C2 adhesive is the recommended product for use with all JointPoint® Designworks/Original Style swimming pool mosaic tiles installed in submerged conditions. For salt water swimming pools we recommend the use of an epoxy adhesive only.


All mosaics shown on pages 12-34	
Individual tile size	Sheet size
25 x 25 x 5mm	312 x 495mm
36 x 36 x 5mm	334 x 334mm
50 x 50 x 5mm	365 x 365mm
98% of the glass used as a raw material in the production process is recycled glass	



JointPoint®










St Vincent

Iridescent glass 20mm

Iridescence has a natural affinity to water, whether in the transient beauty of a soap bubble or the inside of an oyster shell. Its beauty has been captured in this range of mosaics — use them in a pool or on shower walls and enjoy their ever-changing shimmer and shine



ST VINCENT | SM-STVMOS 327 x 327 x 4mm



ST KITTS | SM-STKMOS 327 x 327 x 4mm



ST LUCIA | SM-STLMOS 327 x 327 x 4mm











Whitney Jungfrau

Glass 20mm

Like the mountains that lend these mosaics their names, each has a unique character and an imposing presence

> 327 x 327 x 4mm Tile Size:20mm






Recycled glass 20mm

ST ELIAS | GW-STEMOS

Here is a range made from a blend of recycled glass, with soft gleaming shades and subtle textures



WHITNEY | GW-WHIMOS

327 x 327 x 4mm

MONT BLANC | GW-MBLMOS

Tile Size:20mm








Harmony


old fleck

Emperor

Glass 20mm



MONTE CRISTO | GW-MOCMOS 327 x 327 x 4mm



DISCOVERY | GW-DSCMOS

SARATOGA | GW-SARMOS 327 x 327 x 4mm




RUBY FALLS | GW-RBYMOS



VATUKOULA | GW-VGMMOS 327 x 327 x 4mm







Golden Spur, Emperor and Diamond Head

gold fleck

Glass 20mm



SANTA ANA | GW-SNTMOS 327 x 327 x 4mm



SENECA | GW-SNCMOS 327 x 327 x 4mm



HARMONY ∣ GW-HARMOS 327 x 327 x 4mm



GOLDEN SPUR | GW-GDSMOS 327 x 327 x 4mm



ALMOUTALA | GW-ALMMOS 327 x 327 x 4mm

The ultimate in glamour and

dark and smouldering

elegance, from sleek and sexy to



EMPEROR | GW-EPRMOS 327 x 327 x 4mm



327 x 327 x 4mm

Emperor



MAGALIA | GW-MAGMOS 327 x 327 x 4mm

A PAPER

drop-ins


Add these beautiful little drop-in tiles in gold and silver for jewel-like sparkle and gleam. They are so easy to install within 20mm mosaic sheets – use sparingly for a subtle look or en masse for full-on glamour!



GOLD PLAIN DROP-IN SM-GPSA200 20 x 20 x 4mm



GOLD RIPPLED DROP-IN SM-GRSA201 20 x 20 x 4mm



Gold Rippled Drop-in with Monte Cristo Gold Fleck




SILVER PLAIN DROP-IN SM-SPSE103 20 x 20 x 4mm



SILVER RIPPLED DROP-IN SM-SRSE104 20 x 20 x 4mm



Silver Plain Drop-in with St Kitts Iridescent




Plain glass 20mm


Tiles made from pure glass, in the colours of clear blue pools in exotic holiday locations




ARUBA | SM-ARUMOS



CAICOS | SM-CAIMOS 327 x 327 x 4mm



CURACAO | SM-CURMOS



Recycled glass 20mm




Graduated 8 tile sets


Versatile panels with artfully graduated tones from dark to light



Marsabit 8 tile panel











Bijou

Film faced 15mm*

Some are translucent, some are iridescent, but all the mosaics in this range are spectacular

BIJOU | GW-BIJMOS

300 x 300 x 4mm

KOHAR I GW-KOHMOS

KOHAR | GW-KOHMOS

JALAPA | GW-JALMOS 300 x 300 x 4mm



HELMI | GW-HELMOS

HELMI | GW-HELMOS

JUVELA | GW-JUVMOS 300 x 300 x 4mm



医三侧脑侧侧侧侧侧侧侧侧侧侧侧侧 PHOENICIA | GW-PHOMOS

SAFIRA | GW-SAFMOS 300 x 300 x 4mm



Fantasy

Film faced 25mm*

SERENE | GW-SERMOS 320 x 320 x 6mm





SPECTRE | GW-SPEMOS 320 x 320 x 6mm

320 x 320 x 6mm

DREAM | GW-DREMOS



SPIRIT | GW-SPIMOS 320 x 320 x 6mm



FANTASY | GW-FANMOS 320 x 320 x 6mm







1000 SIDE 8 SDA

slip resistant qualities. All products are clearly marked to show their suitability

This section includes a wide range of tiles, mosaics and finishing pieces for pool side surrounds and products for dry areas too. And for inspiring images of feature walls, turn to page 79

oricks

These brick slips feel and look exactly like traditional bricks, and can be used on both walls and floors



ANTICO CASALE ROSATO
CS1146-2506 250 x 60 x 10mm per piece
Barefoot Wet (TRRL55 Wet) = 51



ANTICO CASALE MATTONE CS1145-2506 250 x 60 x 10mm per piece Barefoot Wet (TRRL55 Wet) = 51



ANTICO CASALE FUMO
CS1147-2506 250 x 60 x 10mm per piece
Barefoot Wet (TRRL55 Wet) = 51



MATTONCINO BIANCO
CS1148-2506 250 x 60 x 10mm per piece
Barefoot Wet (TRRL55 Wet) = 51



MATTONCINO NERO
CS1149-2506 250 x 60 x 10mm per piece
Barefoot Wet (TRRL55 Wet) = 51



The products on this page are all available from stock.

Please note: brick tiles are individual pieces.
Tiles are shown here in repeat to demonstrate the
colour and detail variations which make these brick
effect tiles so convincing.


For a completely authentic look we recommend a 10mm grout gap as shown.











With their colour names reminiscent of sea, sand, shore and sky these wall and floor tiles are just the thing for giving your pool area a natural vibe



CLOUD STONE (TEXTURED) CB23-11S-6060 600 x 600 x 11mm CB23-11S-6030 600 x 300 x 11mm Barefoot Wet (TRRL55 Wet) = 53




CLOUD MATT

CB23-11M-6060 600 x 600 x 11mm CB23-11M-6030 600 x 300 x 11mm







CB23-13S-6060 600 x 600 x 11mm CB23-13S-6030 600 x 300 x 11mm Barefoot Wet (TRRL55 Wet) = 51

600 x 300

Sizes in this range:





600 x 600

CB23-13M-6060 600 x 600 x 11mm CB23-13M-6030 600 x 300 x 11mm









SHORE STONE (TEXTURED) **CB23-14S-6060** 600 x 600 x 11mm CB23-14S-6030 600 x 300 x 11mm Barefoot Wet (TRRL55 Wet) = 58



SHORE MATT

CB23-14M-6060 600 x 600 x 11mm CB23-14M-6030 600 x 300 x 11mm









DENIM STONE (TEXTURED)
CB23-17S-6060 600 x 600 x 11mm CB23-17M-6060 600 x 600 x 11mm CB23-17M-6030 600 x 300 x 11mm CB23-17S-6030 600 x 300 x 11mm Barefoot Wet (TRRL55 Wet) = 55












ASH STONE (TEXTURED) CB23-07S-6060 600 x 600 x 11mm CB23-07S-6030 600 x 300 x 11mm






CB23-07M-6060 600 x 600 x 11mm





SURF STONE (TEXTURED)



SURF MATT CB23-10M-6060 600 x 600 x 11mm






Wall: Pewter Matt Floor: Iron Matt



PEWTER STONE (TEXTURED) CB23-04S-6060 600 x 600 x 11mm CB23-04S-6030 600 x 300 x 11mm Barefoot Wet (TRRL55 Wet) = 61







IRON STONE (TEXTURED) CB23-01S-6060 600 x 600 x 11mm CB23-01S-6030 600 x 300 x 11mm Barefoot Wet (TRRL55 Wet) = 51







Stone-effect tiles in three muted tones with matching mosaic options for feature walls



600 x 600



BEIGE OUTSIDE CB05-049-6030 600 x 300 x 10mm Barefoot Wet (TRRL55 Wet) = 50

CB05-046-6060 600 x 600 x 10mm **CB05-046-6030** 600 x 300 x 10mm

CB05-047-6060 595 x 595 x 10mm (Rectified)





BEIGE LINEAR MOSAIC CB05-052-LINMOS 600 x 300 x 10mm

Sizes in this range:

600 x 300









TAUPE OUTSIDE CB05-056-6060 600 x 600 x 10mm CB05-056-6030 600 x 300 x 10mm Barefoot Wet (TRRL55 Wet) = 50

TAUPE
CB05-053-6060 600 x 600 x 10mm
CB05-053-6030 600 x 300 x 10mm

CB05-054-6060 595 x 595 x 10mm (Rectified)





TAUPE LINEAR MOSAIC CB05-059-LINMOS 600 x 300 x 10mm





STEEL OUTSIDE CB05-063-6060 600 x 600 x 10mm CB05-063-6030 600 x 300 x 10mm Barefoot Wet (TRRL55 Wet) = 50

CB05-060-6060 600 x 600 x 10mm CB05-060-6030 600 x 300 x 10mm

CB05-061-6060 595 x 595 x 10mm (Rectified)





STEEL LINEAR MOSAIC **CB05-066-LINMOS** 600 x 300 x 10mm







CB05-050-MOS 300 x 300 x 10mm

BEIGE LAPPATO MOSAIC CB05-051-MOS 296 x 296 x 10mm (Rectified)





TAUPE MOSAIC CB05-057-MOS 300 x 300 x 10mm

TAUPE LAPPATO MOSAIC CB05-058-MOS 296 x 296 x 10mm (Rectified)





STEEL MOSAIC **CB05-064-MOS** 300 x 300 x 10mm STEEL LAPPATO MOSAIC

CB05-065-MOS 296 x 296 x 10mm (Rectified)





Taupe Outside





Achieve a seamless transition from inside to out. This range of non-rectified tiles and mosaic offers a wide choice of options. 'Inside' is for walls and internal dry floors, with its softly riven finish. 'Outside's' more pronounced riven texture and low slip potential makes it perfect for pool surrounds, wet areas and outdoors



OUTSIDE (SLIP RESISTANT) WHITE CB05-001-6060 600 x 600 x 10mm CB05-001-6030 600 x 300 x 10mm CB05-001-3030 300 x 300 x 10mm

CB05-001-3015 300 x 150 x 10mm **CB05-001-1515** 150 x 150 x 10mm Barefoot Wet (TRRL55 Wet) = 50 / R11C






CB05-002-6030 600 x 300 x 10mm **CB05-002-3030** 300 x 300 x 10mm CB05-002-3015 300 x 150 x 10mm CB05-002-1515 150 x 150 x 10mm Shod Dry (4S96 Dry) = 56 / R9





OUTSIDE (SLIP RESISTANT) WHITE MOSAIC CB05-011-MOS 300 x 300 x 10mm Barefoot Wet (TRRL55 Wet) = 50 / R11C





INSIDE WHITE MOSAIC CB05-012-MOS 300 x 300 x 10mm Shod Dry (4S96 Dry) = 56 / R9






OUTSIDE (SLIP RESISTANT) BEIGE CB05-007-1515 150 x 150 x 10mm



CB05-008-6030 600 x 300 x 10mm CB05-008-3030 300 x 300 x 10mm CB05-008-3015 300 x 150 x 10mm CB05-008-1515 150 x 150 x 10mm

Shod Dry (4S96 Dry) = 56 / R9





CB05-017-MOS 300 x 300 x 10mm

Barefoot Wet (TRRL55 Wet) = 50 / R11C











OUTSIDE (SLIP RESISTANT) RUST MOSAIC CB05-019-MOS 300 x 300 x 10mm






Shod Dry (4S96 Dry) = 56 / R9







These products are available on a special order basis. Due to the variety of sizes available in this brochure, please note that products are not always shown at the same scale as others. Please use the stated dimensions for an accurate guide to sizes



CB05-007-6060 600 x 600 x 10mm CB05-007-6030 600 x 300 x 10mm CB05-007-3030 300 x 300 x 10mm CB05-007-3015 300 x 150 x 10mm

Barefoot Wet (TRRL55 Wet) = 50 / R11C









INSIDE BEIGE MOSAIC CB05-018-MOS 300 x 300 x 10mm Shod Dry (4S96 Dry) = 56 / R9





OUTSIDE (SLIP RESISTANT) GREY CB05-005-6060 600 x 600 x 10mm CB05-005-6030 600 x 300 x 10mm CB05-005-3030 300 x 300 x 10mm CB05-005-3015 300 x 150 x 10mm **CB05-005-1515** 150 x 150 x 10mm





CB05-006-3030 300 x 300 x 10mm CB05-006-3015 300 x 150 x 10mm CB05-006-1515 150 x 150 x 10mm Shod Dry (4S96 Dry) = 56 / R9





OUTSIDE (SLIP RESISTANT) GREY MOSAIC **CB05-015-MOS** 300 x 300 x 10mm

Barefoot Wet (TRRL55 Wet) = 50 / R11C









OUTSIDE (SLIP RESISTANT) RUST CB05-009-6060 600 x 600 x 10mm CB05-009-6030 600 x 300 x 10mm CB05-009-3030 300 x 300 x 10mm CB05-009-3015 300 x 150 x 10mm CB05-009-1515 150 x 150 x 10mm





CB05-010-6030 600 x 300 x 10mm CB05-010-3030 300 x 300 x 10mm CB05-010-3015 300 x 150 x 10mm CB05-010-1515 150 x 150 x 10mm


Shod Dry (4S96 Dry) = 56 / R9





Barefoot Wet (TRRL55 Wet) = 50 / R11C





CB05-020-MOS 300 x 300 x 10mm






OUTSIDE (SLIP RESISTANT) BLACK CB05-003-6060 600 x 600 x 10mm CB05-003-6030 600 x 300 x 10mm CB05-003-3030 300 x 300 x 10mm CB05-003-3015 300 x 150 x 10mm CB05-003-1515 150 x 150 x 10mm



CB05-004-3030 300 x 300 x 10mm CB05-004-3015 300 x 150 x 10mm CB05-004-1515 150 x 150 x 10mm Shod Dry (4S96 Dry) = 56 / R9






OUTSIDE (SLIP RESISTANT) BLACK MOSAIC CB05-013-MOS 300 x 300 x 10mm

Barefoot Wet (TRRL55 Wet) = 50 / R11C





CB05-014-MOS 300 x 300 x 10mm Shod Dry (4S96 Dry) = 56 / R9














Rectified tiles in three formats and a useful palette of five soft shades





SAND SLIP RESISTANT CB04-001-6030 300 x 600 x 9mm

Barefoot Wet (TRRL55 Wet) = 53 / R10C

THE FLOOR FLOOR

SAND NATURAL

CB04-002-6060 600 x 600 x 10mm

CB04-002-4590 900 x 450 x 10mm

CB04-002-6030 300 x 600 x 9mm

Shod Dry (4S96 Dry) = 56 / R9



BEIGE SLIP RESISTANT CB04-005-6030 300 x 600 x 9mm

Barefoot Wet (TRRL55 Wet) = 53 / R10C



BEIGE NATURAL CB04-006-6060 600 x 600 x 10mm **CB04-006-4590** 900 x 450 x 10mm


CB04-006-6030 300 x 600 x 9mm Shod Dry (4S96 Dry) = 56 / R9







Anthracite



GREY SLIP RESISTANT CB04-008-6030 300 x 600 x 9mm

Barefoot Wet (TRRL55 Wet) = 53 / R10C



GREY NATURAL

CB04-009-6060 600 x 600 x 10mm CB04-009-4590 900 x 450 x 10mm CB04-009-6030 300 x 600 x 9mm







ANTHRACITE SLIP RESISTANT CB04-015-6030 300 x 600 x 9mm

Barefoot Wet (TRRL55 Wet) = 53 / R10C



ANTHRACITE NATURAL
CB04-016-6060 600 x 600 x 10mm
CB04-016-4590 900 x 450 x 10mm
CB04-016-6030 300 x 600 x 9mm
Shod Dry (4S96 Dry) = 56 / R9







GRAPHITE SLIP RESISTANT CB04-012-6030 300 x 600 x 9mm

Barefoot Wet (TRRL55 Wet) = 53 / R10C



GRAPHITE NATURUAL

CB04-013-6060 600 x 600 x 10mm CB04-013-4590 900 x 450 x 10mm CB04-013-6030 300 x 600 x 9mm Shod Dry (4S96 Dry) = 56 / R9







White Offset Mosaic

A collection of co-ordinating colour bodied porcelain tiles, all with a matt finish. Four natural-effect colours and a choice of formats are available including a 20mm thick option in selected colours




WHITE SLIP RESISTANT **CB01-031-6030** 600 x 300 x 9mm CB01-031-4545 450 x 450 x 9mm CB01-031-3030 300 x 300 x 9mm CB01-031-1515 150 x 150 x 9mm **CB01-043-6060** 600 x 600 x 20mm

Barefoot Wet (TRRL55 Wet) = 42 / R11C



CB01-030-6060 600 x 600 x 9mm CB01-030-6040 600 x 400 x 9mm CB01-030-6030 600 x 300 x 9mm CB01-030-6020 600 x 200 x 9mm







WHITE OFFSET MOSAIC

CB01-032-MOSOFF 300 x 300 x 9mm

Barefoot Wet (TRRL55 Wet) = 42 / R11C



BEIGE OFFSET MOSAIC CB01-036-MOSOFF 300 x 300 x 9mm

Shod Dry (4S96 Dry) = 56 / R10A



CB01-034-6060 600 x 600 x 9mm

CB01-034-6040 600 x 400 x 9mm

CB01-034-6030 600 x 300 x 9mm

CB01-034-6020 600 x 200 x 9mm



Barefoot Wet (TRRL55 Wet) = 42 / R11C





BEIGE BRICKBOND MOSAIC CB01-037-MOSBB 300 x 300 x 9mm

Shod Dry (4S96 Dry) = 56 / R10A

WHITE BRICKBOND MOSAIC

Shod Dry (4S96 Dry) = 56 / R10A


CB01-033-MOSBB 300 x 300 x 9mm



These products are available on a special order basis.

Due to the variety of sizes available in this brochure, please note that products are not always shown at the same scale as others. Please use the stated dimensions for an accurate guide to sizes

Sizes in this range:





CB01-031-STEP white 330 x 300 x 9mm **CB01-035-STEP** beige 330 x 300 x 9mm CB01-023-STEP grey 330 x 300 x 9mm **CB01-027-STEP** anthracite 330 x 300 x 9mm

STEP TREAD

Matt finishing piece



WHITE/BEIGE BLEND BRICKBOND EFFECT CB01-038-WALL 450 x 105 x 10-14mm (co-ordinates with white and/or beige schemes)






WHITE/GREY BLEND BRICKBOND EFFECT CB01-039-WALL 450 x 105 x 10-14mm (co-ordinates with white and/or grey schemes)





ANTHRACITE/GRANITE BLEND BRICKBOND EFFECT CB01-040-WALL 450 x 105 x 10-14mm (co-ordinates with anthracite schemes)





GREY SLIP RESISTANT CB01-023-6030 600 x 300 x 9mm CB01-023-4545 450 x 450 x 9mm CB01-023-3030 300 x 300 x 9mm **CB01-023-1515** 150 x 150 x 9mm

Barefoot Wet (TRRL55 Wet) = 42 / R11C





CB01-022-6040 600 x 400 x 9mm CB01-022-6030 600 x 300 x 9mm CB01-022-6020 600 x 200 x 9mm

Shod Dry (4S96 Dry) = 56 / R10A





GREY OFFSET MOSAIC CB01-024-MOSOFF 300 x 300 x 9mm

Barefoot Wet (TRRL55 Wet) = 42 / R11C





ELEMENTS

CB01-025-MOSBB 300 x 300 x 9mm

Shod Dry (4S96 Dry) = 56 / R10A





ANTHRACITE SLIP RESISTANT CB01-027-6030 600 x 300 x 9mm CB01-027-4545 450 x 450 x 9mm CB01-027-3030 300 x 300 x 9mm CB01-027-1515 150 x 150 x 9mm

Barefoot Wet (TRRL55 Wet) = 42 / R11C



CB01-026-6060 600 x 600 x 9mm CB01-026-6040 600 x 400 x 9mm CB01-026-6030 600 x 300 x 9mm CB01-026-6020 600 x 200 x 9mm

Shod Dry (4S96 Dry) = 56 / R10A





ANTHRACITE OFFSET MOSAIC CB01-028-MOSOFF 300 x 300 x 9mm

Barefoot Wet (TRRL55 Wet) = 42 / R11C





ANTHRACITE BRICKBOND MOSAIC CB01-029-MOSBB 300 x 300 x 9mm

Shod Dry (4S96 Dry) = 56 / R10A







BEIGE SLIP RESISTANT

CB01-035-6030 600 x 300 x 9mm

CB01-035-4545 450 x 450 x 9mm

CB01-035-3030 300 x 300 x 9mm

CB01-035-1515 150 x 150 x 9mm

CB01-044-6060 600 x 600 x 20mm

Barefoot Wet (TRRL55 Wet) = 42 / R11C





Off White Structured

Concreto Natural and Fendi Structured

The subtle colours of these beautiful tiles look fabulous on their own or when combined together. Natural and Polished finishes are also available (for internal use) in addition to the structured slip resistant option shown here







CS751-6030 300 x 600 x 10mm Barefoot Wet (TRRL55 Wet) = 44 Rectified full bodied porcelain

OFF WHITE NATURAL CS750-6030 600 x 300 x 10mm CS750-6060 600 x 600 x 10mm OFF WHITE POLISHED CS752-6030 600 x 300 x 9mm CS752-6060 600 x 600 x 9mm







NUDE STRUCTURED CS745-6060 600 x 600 x 10mm CS745-6030 300 x 600 x 10mm

Barefoot Wet (TRRL55 Wet) = 44

FLOOR



alternative finishes (not shown): PORTLAND STRUCTURED NUDE NATURAL CS748-6060 600 x 600 x 10mm CS748-6030 300 x 600 x 10mm CS744-6030 600 x 300 x 10mm CS744-6060 600 x 600 x 10mm

Barefoot Wet (TRRL55 Wet) = 44 NUDE POLISHED CS746-6030 600 x 300 x 9mm CS746-6060 600 x 600 x 9mm



alternative finishes (not shown): PORTLAND NATURAL CS747-6030 600 x 300 x 10mm CS747-6060 600 x 600 x 10mm PORTLAND POLISHED

CS749-6030 600 x 300 x 9mm CS749-6060 600 x 600 x 9mm





CONCRETO STRUCTURED CS736-6060 600 x 600 x 10mm

Barefoot Wet (TRRL55 Wet) = 44 Rectified full bodied porcelain

alternative finishes (not shown): CONCRETTO NATURAL CS735-6060 600 x 600 x 10mm CONCRETTO POLISHED CS737-6060 600 x 600 x 9mm





FENDI NATURAL CS738-6060 600 x 600 x 10mm Barefoot Wet (TRRL55 Wet) = 44 FENDI POLISHED Rectified full bodied porcelain CS740-6060 600 x 600 x 9mm



alternative finishes (not shown):



ARGENTO STRUCTURED CS733-6060 600 x 600 x 10mm

Barefoot Wet (TRRL55 Wet) = 44 Rectified full bodied porcelain

FLOOR FLOOR

alternative finishes (not shown): ARGENTO NATURAL CS732-6060 600 x 600 x 10mm ARGENTO POLISHED CS734-6060 600 x 600 x 9mm





CS742-6060 600 x 600 x 10mm

Barefoot Wet (TRRL55 Wet) = 44 Rectified full bodied porcelain

alternative finishes (not shown): GRAFITE NATURAL CS741-6060 600 x 600 x 10mm GRAFITE POLISHED CS743-6060 600 x 600 x 9mm





A stone effect glazed, matt finish porcelain that looks remarkably like granite. Available in three colours and as tiles, edges and mosaics



Calabria



GROSSETO CS998-4530 300 x 450 x 10mm CS998-3030 300 x 300 x 10mm CS998-4522 225 x 450 x 10mm CS998-2222 225 x 225 x 10mm

Barefoot Wet (TRRL55 Wet) = 60 / R12



GROSSETO MOSAIC CB16-002-MOS 300 x 300 x 10mm Barefoot Wet (TRRL55 Wet) = 60 / R12





CARRARA CS996-4530 300 x 450 x 10mm CS996-3030 300 x 300 x 10mm CS996-4522 225 x 450 x 10mm CS996-2222 225 x 225 x 10mm Barefoot Wet (TRRL55 Wet) = 60 / R12



CARRARA MOSAIC CB16-004-MOS 300 x 300 x 10mm Barefoot Wet (TRRL55 Wet) = 60 / R12





CALABRIA

CS997-4530 300 x 450 x 10mm

CS997-3030 300 x 300 x 10mm

CS997-4522 225 x 450 x 10mm

CS997-2222 225 x 225 x 10mm

Barefoot Wet (TRRL55 Wet) = 60 / R12

300 x 300



CB16-006-MOS 300 x 300 x 10mm

Barefoot Wet (TRRL55 Wet) = 60 / R12

CALABRIA MOSAIC

300 x 300



CB16-003-EDGE1 Calabria CB16-005-EDGE1 Grosseto Barefoot Wet (TRRL55 Wet) = 60 / R12



CB16-003-EDGE2 Calabria CB16-005-FDGF2 Grosseto Barefoot Wet (TRRL55 Wet) = 60 / R12





Due to the variety of sizes available in this brochure, please note that products are not always shown at the same scale as others. Please use the stated dimensions for an accurate guide to sizes



broadway lime

A versatile large concrete-effect tile format tile in two finishes



BROADWAY LIME STRUCTURED (SLIP RESISTANT) CS1132-6060 600 x 600 x 10mm

Barefoot Wet (TRRL55 Wet) = 59

BROADWAY LIME SATIN CS753-6060 600 x 600 x 10mm



slate chiara

These products are available on a special order basis. Due to the variety of sizes available in this brochure, please note that products are not always shown at the same scale as others. Please use the stated dimensions for an accurate guide to sizes

Glazed porcelain with a convincing natural stone appearance




SLATE CHIARA BIANCO GLAZED PORCELAIN CS765-6060 605 x 605 x 10mm Barefoot Wet (TRRL55 Wet) = 48





CB16-001-EDGE1 Carrara





EDGE PIECE 3

CB16-001-EDGE3



dorset

Coordinating tiles with a choice of slip resistant finishes and a comprehensive range of fittings (see page 72)





DW-TXDGR3030 300 x 300 x 9mm

Barefoot Wet (TRRL55 Wet) = 47 / R11B



TEXTURED QUARTZ
DW-TXQUZ3030 300 x 300 x 9mm
Barefoot Wet (TRRL55 Wet) = 47 / R11B

Textured 300mm

300mm tiles with a gentle stone effect texture



Textured Quartz



LUNA WHITE

DW-LUWHT3030 300 x 300 x 9mm

DW-LUWHT1515 148 x 148 x 9mm

Barefoot Wet (TRRL55 Wet) = 54 / R12C



LUNA QUARTZ
DW-LUQUZ3030 300 x 300 x 9mm
DW-LUQUZ1515 148 x 148 x 9mm

Barefoot Wet (TRRL55 Wet) = 54 / R12C



DW-LUSGR3030 300 x 300 x 9mm DW-LUSGR1515 148 x 148 x 9mm Barefoot Wet (TRRL55 Wet) = 54 / R12C



LUNA DARK GREY
DW-LUDGR3030 300 x 300 x 9mm
DW-LUDGR1515 148 x 148 x 9mm

Barefoot Wet (TRRL55 Wet) = 54 / R12C

Luna 148mm & 300mm

Slip resistant tiles with a pronounced textured finish



Luna White 300mm with Black Step Tread

Multidisc 148mm

Great performance in changing areas



Multidisc Quartz



MULTIDISC WHITE

DW-MDWHT1515 148 x 148 x 9mm

Barefoot Wet (TRRL55 Wet) = 58 / R12C



MULTIDISC QUARTZ
DW-MDQUZ1515 148 x 148 x 9mm
Barefoot Wet (TRRL55 Wet) = 58 / R12C



MULTIDISC STEEL GREY
DW-MDSGR1515 148 x 148 x 9mm
Barefoot Wet (TRRL55 Wet) = 58 / R12C



MULTIDISC DARK GREY
DW-MDDGR1515 148 x 148 x 9mm
Barefoot Wet (TRRL55 Wet) = 58 / R12C

PINHEAD STEEL GREY
DW-PHSGR1515 148 x 148 x 9mm

Barefoot Wet (TRRL55 Wet) = 54 / R11C

Pinhead 148mm

Outstanding for wet room floors




Pinhead White



PINHEAD WHITE DW-PHWHT1515 148 x 148 x 9mm

Barefoot Wet (TRRL55 Wet) = 54 / R11C



PINHEAD STONE DW-PHSTO1515 148 x 148 x 9mm

Barefoot Wet (TRRL55 Wet) = 54 / R11C



PINHEAD QUARTZ
DW-PHQUZ1515 148 x 148 x 9mm
Barefoot Wet (TRRL55 Wet) = 54 / R11C



PINHEAD DARK GREY

PINHEAD BLACK
DW-PHBLK1515 148 x 148 x 9mm
Barefoot Wet (TRRL55 Wet) = 54 / R11C



PINHEAD RED DW-PHRED1515 148 x 148 x 9mm

Barefoot Wet (TRRL55 Wet) = 54 / R11C





A range of high performance co-ordinating fittings



STEP TREAD ANGLE 100 x 100 x 12mm Available in White, Quartz, Dark Grey & Black



STEP TREAD 148 x 100 x 12mm Available in White, Quartz, Dark Grey & Black





COVING 148 x 109 x 9mm Available in all colours



EXT & INT ANGLES 109 x 30 x 9mm each Available in all colours



CHANNEL OUTLET Available in White, Quartz & Dark Grey



CHANNEL STRAIGHT 148 x 148 x 12mm Available in White, Quartz & Dark Grey



CHANNEL STOP END 148 x 148 x 12mm Available in White, Quartz & Dark Grey


















Form and function. The classic 'swimming pool tile' - ideal for community spaces. Includes moulding pieces that can be used as pool edges/grips or skirtings





edge ensure comfortable and effective grip.







COBALT BLUE GLOSS | CS815-2512 250 x 125 x 6mm



STRUCTURED UNGLAZED | CS818-2512 245 x 120 x 6mm





CHANNEL CORNER

148 x 148 x 12mm Available in White, Quartz & Dark Grey



245 x 120 x 6mm





Floor: Light Grey Structured 6030, Wall: Dark Grey Natural



absolute

Mix and match with a palette of muted shades from light to dark, with a structured slip resistant option suitable for wet floor areas



WHITE SLATE (STRUCTURED)
CB17-028-6030 600 x 300 x 10mm
CB17-028-6060 600 x 600 x 10mm
CB17-028-12060 1200 x 600 x 10mm
Barefoot Wet (TRRL55 Wet) = 52 / R11C





LIGHT GREY SLATE (STRUCTURED)
CB17-024-6030 600 x 300 x 10mm
CB17-024-6060 600 x 600 x 10mm
CB17-024-12060 1200 x 600 x 10mm
Barefoot Wet (TRRL55 Wet) = 68 / R11C






WHITE NATURAL
CB17-026-6030 600 x 300 x 10mm
CB17-026-6060 600 x 600 x 10mm
CB17-026-12060 1200 x 600 x 10mm
Shod Dry (4S96 Dry) = 58 / R10A



LIGHT GREY NATURAL
CB17-022-6030 600 x 300 x 10mm
CB17-022-6060 600 x 600 x 10mm
CB17-022-12060 1200 x 600 x 10mm
Shod Dry (4S96 Dry) = 61 / R10A



STEP TREAD SLATE (STRUCTURED) 600 x 300 x 10mm

CB17-028-GRAD2 White CB17-024-GRAD2 Light Grey CB17-020-GRAD2 Mid Grey CB17-012-GRAD2 Grey CB17-012-GRAD2 Dark Grey CB17-008-GRAD2 Black



STEP TREAD NATURAL 600 x 300 x 10mm

CB17-026-GRAD2 White

CB17-022-GRAD2 Light Grey CB17-018-GRAD2 Mid Grey CB17-014-GRAD2 Grey CB17-010-GRAD2 Dark Grey CB17-006-GRAD2 Black



STEP EDGE (STRUCTURED)

600 x 325 x 10mm

CB17-028-EDGE2 White CB17-024-EDGE2 Light Grey CB17-020-EDGE2 Mid Grey CB17-016-EDGE2 Grey CB17-012-EDGE2 Dark Grey CB17-008-EDGE2 Black



STEP EDGE

600 x 325 x 10mm

CB17-026-EDGE2 White CB17-022-EDGE2 Light Grey CB17-018-EDGE2 Mid Grey CB17-014-EDGE2 Grey CB17-010-EDGE2 Dark Grey CB17-006-EDGE2 Black





MID GREY SLATE (STRUCTURED)
CB17-020-6030 600 x 300 x 10mm
CB17-020-6060 600 x 600 x 10mm
CB17-020-12060 1200 x 600 x 10mm





GREY SLATE (STRUCTURED)
CB17-016-6030 600 x 300 x 10mm
CB17-016-6060 600 x 600 x 10mm
CB17-016-12060 1200 x 600 x 10mm
Barefoot Wet (TRRL55 Wet) = 59 / R11C





DARK GREY SLATE (STRUCTURED)
CB17-012-6030 600 x 300 x 10mm
CB17-012-6060 600 x 600 x 10mm
CB17-012-12060 1200 x 600 x 10mm
Barefoot Wet (TRRL55 Wet) = 54 / R11C





BLACK SLATE (STRUCTURED)
CB17-008-6030 600 x 300 x 10mm
CB17-008-6060 600 x 600 x 10mm
CB17-028-12060 1200 x 600 x 10mm
Barefoot Wet (TRRL55 Wet) = 60 / R11C





MID GREY NATURAL
CB17-018-6030 600 x 300 x 10mm
CB17-018-6060 600 x 600 x 10mm
CB17-018-12060 1200 x 600 x 10mm

Shod Dry (4S96 Dry) = 59 / R10A







GREY NATURAL
CB17-014-6030 600 x 300 x 10mm
CB17-014-6060 600 x 600 x 10mm
CB17-014-12060 1200 x 600 x 10mm







DARK GREY NATURAL
CB17-010-6030 600 x 300 x 10mm
CB17-010-6060 600 x 600 x 10mm
CB17-010-12060 1200 x 600 x 10mm
Shod Dry (4S96 Dry) = 60 / R10A








BLACK NATURAL
CB17-006-6030 600 x 300 x 10mm
CB17-006-6060 600 x 600 x 10mm
CB17-026-12060 1200 x 600 x 10mm
Shod Dry (4S96 Dry) = 60 / R10A









Grey Slip Resistant

High performance wood-effect slip resistant tiles



WHITE SLIP RESISTANT **CB05-026-10016** 1000 x 165 x 10.5mm Barefoot Wet (TRRL55 Wet) = 72 / R11C

WHITE MATT **CB05-025-10016** 1000 x 165 x 10.5mm





CREAM SLIP RESISTANT CB05-029-10016 1000 x 165 x 10.5mm Barefoot Wet (TRRL55 Wet) = 72 / R11C

CREAM MATT CB05-028-10016 1000 x 165 x 10.5mm Shod Dry (4S96 Dry) = 63 / R10B







BEIGE SLIP RESISTANT **CB05-032-10016** 1000 x 165 x 10.5mm Barefoot Wet (TRRL55 Wet) = 72 / R11C



BEIGE MATT **CB05-031-10016** 1000 x 165 x 10.5mm Shod Dry (4S96 Dry) = 63 / R10B







CB20-032-LSTEP beige slip resistant CB20-035-LSTEP grey slip resistant CB20-041-LSTEP taupe slip resistant CB20-044-LSTEP nut slip resistant CB20-038-LSTEP brown slip resistant

CB20-040-LSTEP taupe CB20-043-LSTEP nut CB20-037-LSTEP brown





CB20-034-LSTEP grey



GREY SLIP RESISTANT CB05-035-10016 1000 x 165 x 10.5mm

FLOOR -

Barefoot Wet (TRRL55 Wet) = 72 / R11C

CB20-038-STEP brown slip resistant



GREY MATT CB05-034-10016 1000 x 165 x 10.5mm Shod Dry (4S96 Dry) = 63 / R10B



CB20-037-STEP brown

FLOOR



TAUPE SLIP RESISTANT CB05-041-10016 1000 x 165 x 10.5mm Barefoot Wet (TRRL55 Wet) = 72 / R11C



TAUPE MATT CB05-040-10016 1000 x 165 x 10.5mm Shod Dry (4S96 Dry) = 63 / R10B



NUT SLIP RESISTANT CB05-044-100161000 x 165 x 10.5mm Barefoot Wet (TRRL55 Wet) = 72 / R11C

CB05-043-10016 1000 x 165 x 10.5mm Shod Dry (4S96 Dry) = 63 / R10B



BROWN SLIP RESISTANT CB05-038-10016 1000 x 165 x 10.5mm Barefoot Wet (TRRL55 Wet) = 72 / R11C

BROWN MATT CB05-037-10016 1000 x 165 x 10.5mm Shod Dry (4S96 Dry) = 37 / R10B





deck

Slip resistant decking tiles



DECK PEROBA CS971-6060 600 x 600 x 10mm

Barefoot Wet (TRRL Wet) = 79





DECK TECA SUAVE CS969-6060 600 x 600 x 10mm

Barefoot Wet (TRRL Wet) = 79





DECK TECA INTENSA CS970-6060 600 x 600 x 10mm

Barefoot Wet (TRRL Wet) = 79

Peroba

arbo

Richly coloured wood-effect planks



CARVALO TEXTURED SLIP RESISTANT CS1052-12020 1169 x 190 x 11mm Barefoot Wet (TRRL55 Wet) = 45



WALL



Due to the variety of sizes available in this brochure, please note that products are not always shown at the same scale as others. Please use the stated dimensions for an accurate guide to sizes

CS1051-12020 1169 x 190 x 11mm





Ashtree Clanboard

canela and ash tree

Realistic wooden clapboardeffect tiles in two colours, each with a coordinating wood-effect plank option



ASH TREE CLAPBOARD TEXTURED MATT CS1142-9030 900 x 300 x 12mm



ASH TREE MATT CS1141-12020 1200 x 200 x 11mm





CANELA CLAPBOARD TEXTURED MATT CS1140-9030 900 x 300 x 12mm



CANELA MATT CS1139-12020 1200 x 200 x 11mm



Due to the variety of sizes available in this brochure, please note that products are not always shown at the same scale as others. Please use the stated dimensions for an accurate guide to sizes

painted

Wood-effect planks with a clever reclaimed, stripped-paint style



BEIGE CS1049-12020 1169 x 190 x 11mm





CS1050-12020 1169 x 190 x 11mm







Arbo Carvalo Décor

Painted

arbo carvalho



CARVALHO DÉCOR CS1053-12020 1169 x 190 x 11mm



sisa

Porcelain wall tiles with all the detail and texture of woven sisal



Sisal Glazed Porcelain CS787-9015 • 900 x 150 x 10mm





ATENAS CS1044-9015 900 x 150 x 10mm



atenas

The appearance of split-face stone recreated on tiles





stone pebbles

Softly rounded natural stones with no hard edges



Beige Hawaii



IVORY SAMOA BORDER | EW-SAMOAB2



IVORY SAMOA PEBBLE | EW-SAMOA2 290 x 290 x 10 -14mm



BEIGE HAWAII BORDER | EW-HAWAIIB3 270 x 100 x 10 -14mm



BEIGE HAWAII PEBBLE | EW-HAWAII3 300 x 300 x 10 -14mm



QUAIL MAUI BORDER | EW-MAUIB2 250 x 100 x 10 -14mm



QUAIL MAUI PEBBLE | EW-MAUI2 290 x 290 x 10 -14mm



GREEN BALIHAI BORDER ▲ | EW-BALIHAIB2 250 x 100 x 10 -14mm



GREEN BALIHAI PEBBLE ▲ | EW-BALIHAI2 290 x 290 x 10 -14mm



BORA BORA BORDER | EW-BORAB. 250 x 100 x 10 -14mm




BORA BORA PEBBLE | EW-BORA2 290 x 290 x 10 -14mm



Pebbles may vary in size, tone and placement from those shown here, this is an inherent characteristic of these mosaics.

- ** All stone mosaics must be sealed prior to installation. Sealed mosaics may appear a shade darker.
- ▲ Please note that the pebbles in Green Balihai mosaic and border are flatter than the other pebbles on this page.

The products on this page are all available from stock.





Rusty Quartz

White Quartz

Natural stone interlocking mosaics for a dramatic feature wall. The quartz colours have an extra sparkling quality too





WHITE QUARTZ EW-WHQZPAN6015 600 x 150 x 15-20mm Weight: 48kg per m²





Please note that these tiles cannot be grouted.

The products on this page are available from stock.

Please see Important Information regarding installation.

EW-BLQZPAN6015 600 x 150 x 15-20mm Weight: 48kg per m²





RUSTY QUARTZ **EW-RSQZPAN6015** 600 x 150 x 15-20mm Weight: 48kg per m²





EW-BLSLPAN6015 600 x 150 x 8-13mm Weight: 48kg per m²



Floor: Earth Wall: Tredi Pebble

Glazed porcelain tiles with a highly textured matt finish and three earthy colours for walls



PEBBLE MOSAIC CB07-006-MOS 300 x 300 x 11mm



PEBBLE MIX CB07-007-MIX 300 x 600 x 11mm



PEBBLE TREDI **CB07-008-TREDI** 300 x 600 x 11mm



FOSSIL MOSAIC **CB07-010-MOS** 300 x 300 x 11mm



CB07-011-MIX 300 x 600 x 11mm



CB07-012-TREDI 300 x 600 x 11mm



EARTH MOSAIC **CB07-002-MOS** 300 x 300 x 11mm



EARTH MIX CB07-003-MIX 300 x 600 x 11mm



EARTH TREDI CB07-004-TREDI 300 x 600 x 11mm









White



amelia

Stunning large format tiles with varied and subtle stone effect details

WHITE
CS1061-9015 900 x 145 x 10mm
CS1061-9022 900 x 220 x 10mm
CS1061-9045 900 x 450 x 10mm



GREY
CS1062-9015 900 x 145 x 10mm
CS1062-9022 900 x 220 x 10mm
CS1062-9045 900 x 450 x 10mm



CARBON
CS1063-9015 900 x 145 x 10mm
CS1063-9022 900 x 220 x 10mm
CS1063-9045 900 x 450 x 10mm

In this range:

0 x 220

0 x 450



Please note: these tiles replicate the natural variations of stone, therefore tiles will vary in appearance from those shown



White Lappato

oxide

Lappato - a semi-polished finish on these aged effect plank tiles



WHITE LAPPATO
CS1120-12020 1200 x 200 x 11mm



BLACK LAPPATO CS1121-12020 1200 x 200 x 11mm





Cimento

studio

Co-ordinating plain and textured waves, all with a matt finish



BEIGE LIMESTONE PLAIN MATT CS1126-9030 877 x 291 x 11mm



GREY LIMESTONE PLAIN MATT CS1124-9030 877 x 291 x 11mm



CIMENTO PLAIN MATT CS1122-9030 877 x 291 x 11mm




BEIGE LIMESTONE WAVE TEXTURED CS1127-9030 877 x 291 x 11mm



GREY LIMESTONE WAVE TEXTURED CS1125-9030 877 x 291 x 11mm



CIMENTO WAVE TEXTURED CS1123-9030 877 x 291 x 11mm



Copper

metal effect

Elegant linear mosaic-effect tiles with a timeless metallic finish



METALLIC COPPER LINEAR MOSAIC CS975-LINMOS 300 x 300 x 10mm



METALLIC STEEL LINEAR MOSAIC CS974-LINMOS 300 x 300 x 10mm





Mosaics of all sizes, crafted from stone, are a perfect material for use in wet rooms and spas. Just like in ancient Rome, in fact, where the ritual of bathing was taken very seriously



Brickbond Noce





BRICKBOND NOCE TRAVERTINE TUMBLED | EW-VMBBNOCEM







BRICKBOND ANDORA | EW-VMANDBBS 305 x 305 x 10mm







MIXED TRAVERTINE 4.8 | EW-VMTM48 305 x 305 x 10mm



The products on this page are all available from stock.



^{***} All stone mosaics must be sealed prior to installation.







get a grip

Porcelain pool grips and edging pieces for the perfect finish






Drainage channels cut to order

go with the flow

Have you ever felt that your beautiful dream pool and its surroundings has been let down a little by rather unsightly channel drainage grills or covers?

Recently the only option has been metal, plastic or composite: all very useful materials that do the job, just not very pretty. Here's the perfect solution. A drainage grill made from the same material and shade as your surrounding tiles, ie hard wearing porcelain tiling with slip resistant properties. So as well as providing your choice of pool surround tile we can engineer more of the same tiles to fit the channels, providing a near seamless finish.



An example of an engineered grill made from Roma Sand



300 x 300mm tiles being bullnosed

home ground to perfection

Skirting, bullnosing and gradino profiles can all be shaped in-house, offering you a fully integrated look

There's no need to compromise on finishing pieces such as bullnose edging, gradino profiles and skirtings, as you can choose these at the same time and from the same tiles as your pool surrounds. We engineer these pieces at our in-house facilities from our extensive stock to your specific installation requirements.







Pendulum Testing

safety first

All tiling products used for flooring need to meet specific criteria. Our products have passed the test

There is a duty of care upon all flooring designers, manufacturers, distributors, installers, contractors and on the architects who specify flooring to ensure that flooring surfaces are fit for purpose and meet the Health and Safety Executive's guidelines for slip resistance

Our products are tested for slip resistance and other properties using a range of methods and the results are included next to each product in the pages of this brochure. The pendulum test is carried out on our premises by our technical advisor, to determine the barefoot wet co-efficient of friction using a TRRL55 rubber slider (see equipment above).

Turn to page 100 for Important Information.




have it your way

We will provide you with a bespoke design service to guide you through the huge choice of tiles for your pool and spa, and visualise the finished project by using 3D image plans



We can help you with everything from a simple motif design cut exactly to your requirements, to the possibility of transferring a precious or special image or logo onto a large mosaic panel. The possibilities are endless...

The list of our satisfied clients includes celebrities and famous sports people, leisure centres and hotel spas, as well as individuals looking for a pool design to be a unique reflection of their personality.



Perla, Azur, Ocean & Zafiro from the Niebla Collection



Digital Imaging

Using the latest print technology, high resolution images can be transferred directly to 25mm mosaics.








join the jet-set

Bespoke waterjet cutting facility



When you need tiles cut precisely and accurately, for example to create complex designs, intricate patterns and curves, we can provide a quick turnaround waterjet cutting service. State of the art technology and skilled operators ensure an accurate and speedy delivery. We can help you with the creative process or carry out your instructions.

The waterjet can be used for surface etching as well as cutting and shaping tiles. Call us to discuss your particular requirements.





Dare to dream

The pages in this brochure are just a taste of what is on offer. If you would like more information or would like to talk to us about what we can do for you please call us on +44 (0)1392 473037 to discuss your specific requirements.

important information

Samples of mosaics can be sent on request. Full size mosaic sheet samples are usually chargeable at a reduced rate.

Nominal sizes and thicknesses are shown throughout the brochure. Owing to the high degree of hand finishing of some of the mosaics featured, actual dimensions for individual mosaic sheets may vary from these figures. All dimensions are subject to a tolerance of ± 2.5mm. When calculating the number of mosaic sheets you will require, please do not forget to make 5% allowance for cutting and

Colour Variations

There may be distinctive vet subtle variations in shade in many of the mosaics and tiles included in this brochure. A single sample tile should not be taken as a completely

Use of Mosaics in Swimming Pools

We recommend JointPoint® backed mosaics (offering 92% contact with the adhesive) and pool suitable paper/film faced mosaics (offering 100% contact with the adhesive) for swimming pool installations. It is however, a preference of some pool installers to use mesh backed mosaics. Providing the mesh backed mosaics are correctly installed, the correct grouts and adhesives are used and the pH balance in the pool is correct (see below) the chances of the adhesion failing are minimised. If they are installed incorrectly or the wrong adhesive and grouts are used, the mesh backed mosaics can fail, due to the pH imbalance of the chemicals in the water attacking the grout and then subsequently the adhesion. Original Style cannot be held responsible if mesh backed mosaics are used in a swimming pool and the adhesion subsequently fails.

Some of the glass mosaics suitable for swimming pools included in this brochure are available as paper faced, on an extended lead-time. Please discuss this option when placing

The water in your pool must have a pH balance of between 7.2 and 8 to eliminate acid and high alkali attacking the grout, which can cause the tiles to debond. Please be aware dry. If necessary make slight adjustments to straighten the that all grouts have different water absorption properties. We mosaics. Do this before the adhesive has set by carefully recommend that your grout should be between 0.05% and cutting the film with a sharp knife. Paper faced mosaics 0.1% water absorption. Some grouts can have up to 7% water absorption, which is likely to affect the adhesion and cause the tiles to debond.

Coloured grouts may be used on our mosaics, however, they may alter the overall appearance of the mosaic colour. If they are used, we strongly recommend that a small area is tested before installation. Please be aware that certain grouts are not UV resistant and will fade when placed in direct sunlight. Please contact the grout manufacturer for further advice. When installing mosaics alongside thicker tiles that are not in pools, e.g. as a border, we recommend a packing material such as P.C.I Pecidur boards.

Pools and Power Showers

If using our tiles within in a pool that has water movement e.g flumes and slides, or if using in a shower area which has a power shower, it is important to use adhesive and grout products specificed for the purpose. For further advice please contact the adhesive manufacturer.

NB Original Style makes no representations as to the fitness for purpose of third party adhesives and grouts.

Maintenance and Cleaning

Please note, the use of certain acid based cleaning products may cause some mosaics to react and change in character. Original Style's liability, to the extent permitted by law, is Do not use hydrofluoric acid pool cleaners as these will have an adverse effect on the mosaics. We recommend the use of pH neutral cleaning products on our tiles unless stated otherwise. Regular cleaning of mosaics is recommended as a build up of certain deposits (such as magnesium and calcium) can be detrimental, even causing acid etching on the surface. These are difficult or, in some cases, impossible to remove if left.

Scratching

Care should be taken in installation and that glass mosaics tiles to react and change in character. Original Style warrants are not put in high-risk areas for scratching. It is important to use a fine grade or non-sanded grout to avoid scratching the purpose. Original Style makes no representations as to the surface of glass mosaics. Glass mosaics should not be used on counter tops because of the likelihood of scratching.

Use of Glass Mosaics Near Heat

of 3cm from any direct heat source.

As glass is a very good conductor of heat caution must be taken when considering installation in areas of extreme heat

It is important to keep all Original Style tiles and also any fixing materials such as grouts and adhesives in a cool and dry area before installation.

Photography

Owing to variations in studio lighting and printing inks, the tile colours shown in this catalogue may differ slightly from those of the actual tiles. Before making your choice it is always advisable to ask for samples

Product Specific Information

Mixed Blend and Gold Fleck Mosaics

Some of the mixed blends and gold fleck mosaic sheets contain transparent pieces. We advise that the mesh backing behind any transparent pieces should be carefully removed before fixing so the mesh is not visible after installation. Always use a suitable white glass adhesive with these mosaics. Solid bed method of installation is

Gold Fleck and Iridescent Mosaics

The surfaces of some of the gold fleck and iridescent mosaics are very slightly pitted, which is one of their inherent features. Unless they are sealed first, any pitted surface may become unavoidably filled during the grouting process, resulting in a speckled appearance. We recommend that these tiles are sealed with a removable protective sealer prior to installation.

Some mosaics are inherently pitted and some have slight edge chipping, this is a natural aspect of certain mosaics. Please check that the mosaics you have chosen to install are to your satisfaction as installation is taken as acceptance.

Please test a small inconspicuous area before installation following all manufacturers' instructions.

Plastic Film Faced and Paper Faced Mosaics

Film faced mosaics are faced with a plastic film and should be adhered in the same way as other mosaics, but with the film facing outwards. Always use a suitable white rapid setting flexible mosaic adhesive. The adhesive should be left for at least 24 hours to allow it to completely set and should be adhered in the same way as other mosaics, but with the paper facing outwards. Wet the paper and peel off before the setting material hardens to allow time to straighten the mosaics and to check that the colour and shade are correct on each sheet as you work.

Pebble Mosaics

To avoid visible grout lines, some pebbles may require adjusting slightly so that they interlock with adjoining pebble

Splitface Stone

Care must be taken to ensure that the substrate is suitable (eg backerboard) due to the substantial weight of these products (48kg per m²).

For more detailed instructions for fixing mosaics and tiles to walls and floors please see refer to the Original Style Fixing Guide at www.originalstyle.com/en/fixing, and also BS 5385-4:2009 Part 4 Design and Installation of Ceramic and Mosaic Tiling in Special Conditions Code of Practice. For all pool installations please consult with your pool contractor and refer to the manufacturers of grouts, adhesives and other materials.

Limits of Liability

Original Style accepts no liability for the faulty installation of its tiles. In the case of any claim relating to the tiles themselves. limited to either the replacement of the product or a refund of the cost of the product, and does not extend to cover any consequential loss. Tiles must be inspected prior to installation and claims cannot be considered after the tiles have been installed. Claims must be reported within sever working days from receipt of the tiles. Tile sizes may vary slightly from the stated nominal dimensions within internationally accepted standards. Please be advised that installation constitutes acceptance of the quality, colour, texture, size and shade of the tiles. Please note the use of As with all glass products, glass mosaics can be scratched. certain acid-based cleaning products may cause some of the that its tiles conform to their description and are fit for their fitness for purpose of third party adhesives and grouts.

Original Style makes no other e x press or implied warranty as to fitness or suitability of the products for particular Original Style recommends mosaics are installed a minimum installations. We extend no guarantees, express or implied, as to wear resistance or maintenance procedures.

Slip Resistance testing methods

Pendulum Barefoot Wet (BS7976-2 TRRL 55)

This is a swinging arm test apparatus to determine the wet coefficient of friction using a rubber slider that simulates a bare foot in wet conditions.

Accepted limits for flooring using this technique are as follows:

	Slip Potential	Range
	High	19 and below
	Moderate	20 to 39
	Low	40 to 74
	Very Low	75 and above

Ramp Barefoot Wet (DIN 51097)

The tiles are fixed on a ramp which is then wetted. A person with bare feet walks on the wetted surface as the ramp angle is increased until the person slips. The angle at which slipping occurs is recorded. There are three categories A.B. and C. A has the highest slip potential and C the lowest.

The following is a classification with wet area usage

Cat.	Angle	Area of use
А	12° - 17°	Individual and group changing rooms with lockers Pool floor in the non-swimmer areas where water level exceeds 80cm
В	18° - 23°	Showers Area surrounding the disinfectant sprayers Pool floor in the non-swimmer areas where the water level is less than 80cm in parts Pool floor in the non-swimmer areas in the tide effect pool Steps leading into the water Steps of maximum 1m width with hand rails leading into the water Steps outside the pool area
С	>23°	Pool surrounds Paddling pools Steps leading into the water if not classified in B



Pools & hot tubs



Wet & dry walls (inc showers & wet rooms)

Wet & dry floors



(inc showers & wet rooms) Dry walls only



Dry floors only



Internal use only



Internal & external use

pool & spa specialists



